ELECTRONICS AND COMMUNICATIONS IN JAPAN

Part 2: Electronics

CONTENTS FOR 1991

Page

NUMBER 1

Hsu, Jui-Pang, Tetsuo Anada, and Mitsugu Okawa. E-Plane Planar Circuit—Planar Circuit Equations and Method of Analysis 1

Kazuya Hayata, Akira Misawa, and Masanori Koshiba. Finite-Element Simulation of Nonlinear Optical Guided-Wave Propagation Using Direct Integration Scheme 13

Kazuya Hayata and Masanori Koshiba. Bistability Analysis of Nonlinear Optical Guided Waves . . 21

Masashi Nakao, Kenji Sato, Toshio Nishida, and Toshiaki Tamamura. Experimental Analysis on Lasing Wavelength Controllability of DFB Laser Array for WDM 31

Hiroaki Takeuchi, Kazuo Kasaya, Yasuhiro Kondo, Hiroshi Yasaka, Kunishige Oe, and Yoshihiro Imamura. Monolithic Integrated Optical Circuit for Coherent Detection 38

Ichihiko Toyoda, Keishi Nakamura, and Masanori Matsuhara. Boundary Element Analysis of Three-Dimensional Scattering Problems by Extended Integral Equation 47

Akihiro Maruta, Yasuhiro Kawata, and Masanori Matsuhara. Analysis of Second-Order Nonlinear Interactions in an Optical Waveguide by the Galerkin Method 55

Hiroshi Ohashi, Tamio Aoyagi, Yasuo Tarui, and Yosio Komiya. A Simple Calculation Model for Punch-Through Voltage in Diffusion Self-Aligned (DSA) MOS Transistors 62

Kohei Nakamura, Kunihiko Manju, Yoshifumi Sekine, and Masatoshi Suyama. Resonator Equivalent Circuit in a Crystal Oscillator 72

Hideo Oka and Paul P. Biringer. Excitation Technique for Measurement of Flux Distribution in Ferrite Orthogonal Core 81

Norio Kokaji. Analysis of the Magnetic Force Emerging from the Recording Medium in Magnetography 94

Naomichi Okamoto and Nobuhiro Sezaki. Composite Films of Conducting Polymer Polyaniline and Silica Gel 105

NUMBER 2

Kenji Hisadome and Masami Kihara. An Analysis on Short-Term Frequency Stability of an Optically-Pumped Cesium Beam Frequency Standard: Laser Noise Influence 1

Shigeru Sugiyama and Makoto Tsutsumi. Reflection and Transmission of Millimeter-Waves from a Plasma-Induced Semiconductor Slab 13

Tsukasa Yoneyama. Millimeter-Wave Integrated Circuits Using Nonradiative Dielectric Waveguide 20

Yuji Kotaki, Shouichi Ogita, and Hiroshi Ishikawa. Wavelength Tunable Semiconductor Lasers . . 29

ELECTRONICS AND COMMUNICATIONS IN JAPAN

Part 2: Electronics

CONTENTS FOR 1991

Page

NUMBER 1

Hsu, Jui-Pang, Tetsuo Anada, and Mitsugu Okawa. E-Plane Planar Circuit—Planar Circuit Equations and Method of Analysis 1

Kazuya Hayata, Akira Misawa, and Masanori Koshiba. Finite-Element Simulation of Nonlinear Optical Guided-Wave Propagation Using Direct Integration Scheme 13

Kazuya Hayata and Masanori Koshiba. Bistability Analysis of Nonlinear Optical Guided Waves . . 21

Masashi Nakao, Kenji Sato, Toshio Nishida, and Toshiaki Tamamura. Experimental Analysis on Lasing Wavelength Controllability of DFB Laser Array for WDM 31

Hiroaki Takeuchi, Kazuo Kasaya, Yasuhiro Kondo, Hiroshi Yasaka, Kunishige Oe, and Yoshihiro Imamura. Monolithic Integrated Optical Circuit for Coherent Detection 38

Ichihiko Toyoda, Keishi Nakamura, and Masanori Matsuhara. Boundary Element Analysis of Three-Dimensional Scattering Problems by Extended Integral Equation 47

Akihiro Maruta, Yasuhiro Kawata, and Masanori Matsuhara. Analysis of Second-Order Nonlinear Interactions in an Optical Waveguide by the Galerkin Method 55

Hiroshi Ohashi, Tamio Aoyagi, Yasuo Tarui, and Yosio Komiya. A Simple Calculation Model for Punch-Through Voltage in Diffusion Self-Aligned (DSA) MOS Transistors 62

Kohei Nakamura, Kunihiko Manju, Yoshifumi Sekine, and Masatoshi Suyama. Resonator Equivalent Circuit in a Crystal Oscillator 72

Hideo Oka and Paul P. Biringer. Excitation Technique for Measurement of Flux Distribution in Ferrite Orthogonal Core 81

Norio Kokaji. Analysis of the Magnetic Force Emerging from the Recording Medium in Magnetography 94

Naomichi Okamoto and Nobuhiro Sezaki. Composite Films of Conducting Polymer Polyaniline and Silica Gel 105

NUMBER 2

Kenji Hisadome and Masami Kihara. An Analysis on Short-Term Frequency Stability of an Optically-Pumped Cesium Beam Frequency Standard: Laser Noise Influence 1

Shigeru Sugiyama and Makoto Tsutsumi. Reflection and Transmission of Millimeter-Waves from a Plasma-Induced Semiconductor Slab 13

Tsukasa Yoneyama. Millimeter-Wave Integrated Circuits Using Nonradiative Dielectric Waveguide 20

Yuji Kotaki, Shouichi Ogita, and Hiroshi Ishikawa. Wavelength Tunable Semiconductor Lasers . . 29

Page

Shouichi Ogita, Yuji Kotaki, Hiroshi Ishikawa, and Hiroshi Onaka. Direct Frequency Modulation of Semiconductor Laser 39
Satoshi Makio, Shigeru Takeda, Shinji Sakano, and Naoki Chinone. Optical Isolators for Optical Communication Systems 50
Masanori Matsuhara. Three-Dimensional Finite Element Analysis of Electromagnetic Fields Excited by Electric Current 61
Masanobu Okayasu, Tatsuya Takeshita, Osamu Kogure, and Shingo Uehara. 0.98-μm InGaAs/GaAs Strained Quantum Well Ridge Waveguide Lasers 68
Shinzo Muto, Shin-ichiro Ichikawa, Nobuo Seki, and Hiroshi Ito. Optical Isolator Using Magneto-Optical Transparent Plastics 75
Hisao Hayashi. Design of Drain Junction in Polysilicon MOSFETs 81
Keiichi Miyairi and Yumiko Kondo. Electric Conduction and Electroluminescence of Plasma-Polymerized Ethylene Thin Films 89
Hitoshi Aoki. The Correction Procedure for "Packaged Type Transistor" *S*-Parameters Measurement (~1 GHz) 96
Naoaki Yamanaka, Shiro Kikuchi, Masao Suzuki, and Michihiro Hirata. A 2.2 Gbit/s Si Bipolar 8 × 8 Crosspoint Switching LSI 100

NUMBER 3

Hiromasa Tanobe, Fumio Koyama, and Kenichi Iga. Spectral Linewidth Measurement of a GaAs/GaAlAs Surface-Emitting Laser 1
Saeko Oshiba, Kiyoshi Nagai, Masato Kawahara, and Yoshio Kawai. Widely Tunable Optical-Fiber Ring Laser Using High-Performance Traveling Wave Amplifier 7
Koichi Hirayama, Nakaba Miyamoto, and Masanori Koshiba. Analysis of Asymmetric Discontinuities in an Open Dielectric Waveguide by Combination of Finite and Boundary Elements 14
Satoshi Okafuji. Analysis of Nonlinear TE Waves in a Three-Layer Slab Waveguide with Self-Focusing Nonlinear Film and Substrate Layers 25
Naoya Kukutsu, Norinobu Yoshida, and Ichiro Fukai. Application of Multigrid Technique to the Spatial Network Method 34
Kazuhiro Inoue and Masanori Koshiba. Finite-Element Solution of Periodic Waveguides with Circular Symmetry 43
Toshio Kambayashi, Akira Hosogane, and Mitsuhiro Enya. Gain Analysis of Multiple Quantum-Well Lasers with Different Well Thickness 52
Tadasu Sunada and Kuniharu Takizawa. Polarization-Independent Optical Switch and TE/TM Mode Splitter Using $LiNbO_3$ Asymmetric X-Branched Waveguides 61
Shinnosuke Sawa, Kazuo Ono, and Masashi Hotta. Mode-Conversion Type Optical Y-Branching Waveguides Fabricated on Glass Substrate 70
Takuya Tanii. Metal Oxide on the Surface of Contacts Having Excellent Contact Performance . . . 80
Takashi Tsumagari, Hajime Ohiwa, and Tamotsu Noda. Unified Mechanical Aberration Theory of Electrostatic Focusing-Deflection Systems 90
Ken-ichi Iimori. Driving Theory of Power Reed Switch in Inhomogeneous Magnetic Field 99
Shuhei Nakamura, Atushi Ito, Goro Sawa, Kazunari Tsubota, Masayuki Ikeda, and Teiji Kubo. Effect of Curing Temperature on Carbon Black-Resin Thick-Film Resistors 106

Page

NUMBER 4

Hiroyuki Yabuki and Mitsuo Makimoto. Theoretical Analysis and Fundamental Charcteristics of Triplate Spiral Inductors 1

Shigeaki Ohke, Tokuo Umeda, and Yoshio Cho. Analysis on Waveguiding Property of GaAs-AlGaAs MQW Nonlinear Optical Waveguide 12

Masanori Koshiba and Takashi Yanagawa. Finite-Element Analysis of Ultrasonic Waveguides with Solid-Liquid Interface 21

Hideaki Hayashi, Kunio Tada, Yoshihiro Takahashi, and Takuya Ishikawa. Design, Fabrication and Experiment of GaAs Traveling-Wave Directional Coupler Optical Modulators 29

Kuniharu Kato, Isao Nishi, and Kouhei Hashimoto. Simple Assembly Technique for Single-Mode Optical Fiber Multi/Demultiplexers 40

Sachihiro Toyoda and Yutaka Satomura. Broadband Active Circulators 49

Koichi Iiyama, Ken-ichi Hayashi, and Yoshio Eda. FM Noise Property of Mutually Optical Injection-Locked Semiconductor Lasers Considering Propagation Time Between Lasers 57

Masayosi Esashi, Shuichi Shoji, Toshitada Wada, and Tomio Nagata. Capacitive Absolute Pressure Sensors with Hybrid Structure 67

Yasuhiro Sugimoto and Hiroyuki Hara. A Study on the Delay Time of a BiCMOS Basic Gate . . . 76

Kimihiko Shibata, Minoru Emura, and Shojiro Yoneda. Energy Transmission of Switched-Capacitor Circuit and Application to dc-dc Converter 91

Keijiro Uehara and Hisayuki Higuchi. Structure of Outside Emitter Silicon Bipolar Transistor (OSET) for High-Speed LSI 102

Katsutaka Sasaki and Atsushi Noya. Preparation and Characterizations of $Al_{12}W$ Intermetallic Compound Film by Co-sputtering 111

NUMBER 5

Nagisa Ayaki, Hiroki Nagahama, Akira Inoue, Takayuki Katoh, Isao Murase, Michihiro Kobiki, Noriyuki Tanino, and Yutaka Yoshii. Low-Noise MMIC Amplifiers Using HEMTs 1

Toshitaka Kojima and Jun Ido. Boundary-Element Method Analysis of Light-Beam Scattering and the Sum and Differential Signal Output by DRAW-Type Optical Disk Models 11

Norihiro Umeda and Hiroyuki Kohwa. Measurement on the Residual Birefringence Distribution in Glass Laser Disk by Transverse Zeeman Laser 21

Shigeru Ando, Takaki Nakazawa, Seishi Sekine, Katsuhiro Hoshi, and Motohito Mita. A Method of Recording Hologram by Means of Multiple Embossment: Experiment Using an Improved Stamper 29

Kensuke Okubo and Makoto Tsutsumi. Waveguide Band Rejection Filter Using Yttrium-Iron-Garnet Films 40

Koki Matsumura. Fabrication of SiO_2 Thin Films by ECR Plasma Anodization 49

Shigeru Takahashi, Toshiya Sato, Takuya Fukuda, and Michio Ohue. Improvement of Adhesion to SiN Thin Film on the Polycarbonate Substrate 60

Shiro Nagaoka, Akinobu Irie, Katsuyoshi Hamasaki, and Tsutomu Yamashita. Noise Characteristics of NbN Nanobridge dc SQUIDs Fabricated by Field Emission Technique 71

Hisayuki Higuchi, Suguru Tachibana, and Makoto Suzuki. Delay-Time Evaluation of Submicron BiCMOS, CMOS, and Bipolar ECL Gates 78

Page

Kikuo Ono, Takeshi Tanaka, Nobutake Konishi, and Junichi Ohwada. Optical Characteristics Simulation of TFT Addressed Liquid Crystal Display 90
Mamoru Okano, Mitsunori Saito, and Mitsunobu Miyagi. Polarization Characteristics of Alumina Films Anodized with Large Current Density 101
Masao Suzuki, Tadao Nagatsuma, Eiichi Sano, Yoshiji Kobayashi, and Chikara Yamaguchi. A High-Speed BiCMOS Gate Array Using BiCMOS Gate Circuit Featured by Darlington Buffer 108

NUMBER 6

Hiroshi Haga, Takayuki Negami, and Sadahiko Yamamoto. Polarization-Independent Guided-Wave Optical Hybrid Coupler 1
Satoshi Ichikawa and Yukio Saitoh. Analysis of Electromagnetic Field Induced over Ground by Lightning Having an Angle of Inclination 13
Yoshiaki Daiku and Shoichi Ono. Design Theory of a Diode Video Detector for the Submillimeter Wave Region Using an Open-Type Biconical Resonator 25
Naoya Kukutsu, Norinobu Yoshida, and Ichiro Fukai. Application of Variably Graded Mesh to the Spatial Network Method 35
Shigeya Tanaka, Takashi Hotta, Masahiro Iwamura, Tatsumi Yamauchi, Tadaaki Bandoh, Atsuo Hotta, Seiji Iwamoto, and Shigemi Adachi. A 70-MHz, 32-bit BiCMOS Processor 44
Masayoshi Mochimaru. Improvement of Power Efficiency for the Class-BD Amplifier with Final Bridge Circuits 53
Hideo Oka. Difference of Flux Control between Two-Dimensional Orthogonal Core and Three-Dimensional Orthogonal Core 62
Yoshito Miyatake, Tsutomu Muraji, Mamoru Takeda, and Keisuke Tsuda. Liquid Crystal Rear Projection Display for Hi-Vision 74
Kazuaki Homma, Mitsuya Motohashi, Yuuki Murayama, and Toyoji Fukami. Simultaneous Measurement of Carrier Mobility and Lifetime in Hydrogenated Amorphous Silicon Films . 85
Kunihiko Yamaguchi, Noriyuki Homma, and Yoshiaki Sakurai. Study on Discharge Circuits for Word-Lines in High-Speed Bipolar RAMs 95
Yoshitaka Fukuoka, Takuya Nishimura, and Takahiro Terao. Stress Analysis of a Metal Cap with Sapphire Windows for Hybrid ICs 105

NUMBER 7

Naofumi Yoneda and Tsukasa Yoneyama. Finite-Element Analysis of Ferrite Disk Resonators by Introducing Field-Assigned Points 1
Naoki Ohtani, Nobuo Nagai, Masakiyo Suzuki, and Nobuhiro Miki. Formulation of Quantum Effects by Using a Complex-Valued Equivalent Circuit 11
Soubee Shinohara and Tsukasa Yoneyama. Some Interesting Transmission Characteristics of Nonradiative Dielectric Waveguides Using High-Permittivity Material 20
Kazuya Hayata and Masanori Koshiba. Path Integral Representation of Generalized Nonlinear Schrödinger Equations—Application to Optical Soliton Problems 30
Takayoshi Kubono. Some Characteristics of Pd Electrical Contacts Mounted on Relays That Make and Break a DC 30-V, 10-A Resistive Circuit 41

Page

Heiju Uchiike, Akira Kubo, Shigeki Harada, Takao Kanehara, and Masanori Fukuda. Realizing High Resolution in Surface-Discharge AC Plasma Displays 53
Shuji Maeda, Norinobu Yoshida, and Ichiro Fukai. A Study on Measurement and Simulation for the Propagation Characteristics of Through-Hole 61
Yasumasa Nishimura, Mitsutaka Niiro, Koji Tanaka, and Mitsuhiro Hamada. An Address Access Time Measurement Method for High-Speed MOS Static RAMs 73
Hiroshi Imada and Hisatomo Kiwaki. Design and Performance of a Surface Potentiometer 83
Fujio Ishihara, Takashi Suga, and Shinichi Iiguchi. A Method of Analysis for a Circuit Consisting of Multistage Connection of Tapered Waveguides 91
Naomi Itoh, Kiyotaka Kato, and Isamu Kato. Fabrication of SiN Thin Films by RF Biased Microwave Plasma CVD 101
Yoshio Hayashi and Shuichiro Ogawa. Optical Recording Properties and Structure of New Silver Metallic Particles System 107

NUMBER 8

Youngho Ko, Norinobu Yoshida, and Ichiro Fukai. Three-Dimensional Electromagnetic Analysis of Rectangular Waveguide Containing High-Permittivity Anisotropic Dielectric 1
Hideaki Kimura, Norinobu Yoshida, and Ichiro Fukai. Electromagnetic Field Analysis of a System Including Space Charge by Combined Equivalent Circuit of Scalar and Vector Wave Equations 8
Hirokimi Shirasaki. Properties of Cutoff Filters Using Raised Cosine Impedance Tapered Waveguides of Varying Heights 18
Kiyoshi Fukui, Shigeji Nogi, Atsushi Sanada, and Seiji Oishi. Ladder-Type Microwave Power Divider/Combiners 25
Tsutomu Hara. Phase Modulation with Microchannel Spatial Light Modulator (MSLM) 40
Taiju Takahashi and Susumu Saito. Achromatic Liquid Crystal Display Using Homogeneously Oriented Nematics with a Compensation Layer 46
Nobuyuki Hiratsuka, Kazuhiro Taguchi, Tomonori Ichikawa, Minoru Fujita, and Mitsuo Sugimoto. Effect of Au Underlayers on Perpendicular Magnetic Anisotropy of CoOx Films 53
Kaori Nakamura, Yasuyuki Okura, Eiji Takeda, and Ryuiti Izawa. Analysis of Short Channel Effect in Thin-Film SOI MOS Transistor 60
Kazuyoshi Shiba, Katsuhiko Kubota, Ken-ichi Kuroda, and Yuji Hara. A Composite Process for EPROM and EEPROM and Its Reliability 68
Isamu Yuitoo, Eijin Moriwaki, Kazuo Shiiki, and Kouji Yamada. Lift-Off Fabrication of Fine Cu Patterns with a High Aspect Ratio 79
Hajime Takakubo, Cong-Kha Pham, and Katsufusa Shono. A Bitmap Memory Bank Which Allows Block Accesses 88
Shigeki Aisawa, Kazuhiro Noguchi, and Takao Matsumoto. Fiber Optic Pattern Recognition Sensor Using Neural Network 99
Hideo Muro and Shigeo Hoshino. Semiconductor or Vibration Sensors Using Multiple Cantilever Beams with Different Lengths 109

NUMBER 9

Kazuro Kikuchi. Frequency and Phase Control of Light in Coherent Optical Communication Systems 1
Masayuki Nakajima and Eikichi Yamashita. Characterization and Design Method for Asymmetrical-Structure Offset-Type Broadside-Coupled Strip Lines Having Thick Strip Conductors and Dielectric Substrate 11

Page

Mitsugu Takashima and Hiroaki Iga. Quasi-E Junction in a Planar Circuit 21
Shigeji Nogi, Kiyoshi Fukui, Masanobu Kojima, and Satoshi Tanaka. Effective Methods for Suppression of Undesired Cavity Modes Using Microwave Absorbers 31
Hitoshi Rikukawa, Takashi Sato, Masahiro Nakagawa, and Minoru Shimba. Frequency Stabilization of a Semiconductor Laser Using the Faraday Effect 41
Kazuo Kato and Takashi Sase. A High CMRR Instrumentation Amplifier using Common-Mode Sampling Feedback Technique 51
Taehong Kim and Kazunori Ohnishi. Properties of SiN Films Deposited by Photo CVD and Memory Characteristics of MNOS Structure 63
Takanori Shigehiro, Masataka Nakamura, and Syojiro Yoneda. A Simulation of High-Frequency Mutually Coupled Circuit Using Bipolar Transistors 74
Yutaka Shimada and Choji Miyakawa. Soft Magnetic Properties of CoNbZrN Microcrystalline Films Produced by DC Magnetron Sputtering 84
Daiki Masumoto, Hiroki Ichiki, Hideki Yoshizawa, Hideki Kato, and Kazuo Asakawa. An Analog Neurochip and Its Applications to Multilayered Artificial Neural Networks 92
Norio Muto, Masaru Miyayama, Hiroaki Yanagida, Teijiro Kajiwara, Norihisa Mori, Yoshikazu Imai, Hirofumi Harada, and Hiroshi Ichikawa. IR Sensor using Functional Semiconductor Fiber and Application to Human Detection 104

NUMBER 10

Hideo Itoh, Masanobu Watanabe, Masahiko Mori, Seiji Mukai, and Hiroyoshi Yajima. Binary Logic Operations Using a Beam Scanning Laser Diode 1
Kazunori Yanagawa, Kazuya Hayata, and Masanori Koshiba. Enhancement of Čerenkov-Radiation-Type Wavelength Conversion Domain-Inverted Structure 11
Makoto Yamada, Makoto Shimizu, Masaharu Horiguchi, Masanobu Okayasu, and Etsuji Sugita. Noise Characteristics of Er^{3+}-Doped Fiber Amplifiers Pumped by Laser Diodes 19
Masao Takeuchi, Kazuhiko Yamanouchi, and Yoichi Nakamura. Single-Phase Unidirectional Magnetostatic Forward Volume Wave Transducer Using Internal Metal Reflective Arrays . 32
Hajime Sakata, Shinsuke Takeuchi, and Toshihiko Ouchi. Compact Narrowband Filters Using Grating-Assisted Vertical Directional Couplers 40
Yasuhiro Sugimoto and Kazunori Tsugaru. A Study on a BiCMOS 10-bit Video Sample and Hold IC 51
Ichirou Oota, Fumio Ueno, Takahiro Inoue, and Tan Sin Eam. An Analysis Method in EISCAP when the Coefficient Matrices of the State Equations are Singular by Switches 63
Satoshi Kobayashi, Futao Kaneko, Takeo Maruyama, Nozomu Tsuboi, and Hitoshi Tamura. $Zn_yCd_{1-y}S$-$CuGaS_2$ Heterojunction Diode 73
Yoshihiko Koike, Takashi Aoyama, and Yoshiaki Okajima. Structure of Polycrystalline Silicon Films by Ultraviolet Pulse Laser Annealing 82
Yuichi Satsu, Osamu Miura, Ryuji Watanabe, and Kunio Miyazaki. Effect of Plasma Treatment on Adhesion of Low Thermal Expansion Polyamide Films 92
Takayoshi Kubono and Masahiko Mogami. Some Characteristics of AgPd40/60 Contacts Mounted on Miniature Relays That Make and Break a DC 30 V-10 A Resistive Circuit 103

Page

NUMBER 11

Yasuo Hirose, Yasuo Tsuzuki, and Haruo Ando. Optical Phase-Locked Loop for Suppression of External Disturbances in Optical Fiber Sensors 1

Xu Zhang, Naoki Inagaki, and Nobuyoshi Kikuma. Geometrical Theory of Diffraction Including Corner Diffractions with Application to Radiation Pattern Analysis of Major Angle Corner Reflector Antenna 11

Shuji Maeda, Tatsuya Kashiwa, and Ichiro Fukai. Analysis of Crosstalk Between Parallel Microstrips Using Finite-Difference Time-Domain Method 23

Masanori Matsuhara and Keishi Nakamura. Integral Equation Solution Method of Two-Dimensional Electromagnetic Fields—A Method to Employ the Transverse Field Components 32

Masao Kodama. An Analysis of Wave Propagation in Linearly Tapered Dielectric Slab Waveguides Considering Reflected Waves 39

Ryuichi Izawa, Kazunori Umeda, and Eiji Takeda. AC Hot-Carrier Degradation Due to Gate-Pulse-Induced Noise 50

Yoshihito Maeda, Hisashi Andoh, Hiroyuki Minemura, and Yoshio Sato. Relationship between Overwrite Repeatability and the Disk Structure of InSbTe Phase-Change Optical Disks . . . 58

Hirotoshi Eguchi, Toshiyuki Furuta, Hiroyuki Horiguchi, and Sugitaka Oteki. Neural Network Hardware with Learning Function Using Pulse-Density Modulation 66

Masayoshi Esashi. Sensors by Micromachining 76

Xiaochun Sun, Yoshikazu Matsui, Showko Shiokawa, and Hiroshi Kubota. Surface Plasmon Immunosensors 84

Masaaki Takahashi, Yasutoshi Kurihara, Kazuji Yamada, and Yoshinori Musha. Observation of the Bonding Interface between AlN Ceramics and Metal Base with the Ultrasonic Imaging System 93

Katsutaka Sasaki, Atsushi Noya, Mayumi Takeyama, and Masato Bando. Study of the Thermal Stability of $Al_{12}W/W/Si$ Contact Structure by AES Analysis 107

NUMBER 12

Naoya Kukutsu, Norinobu Yoshida, and Ichiro Fukai. Application of Variably Graded Mesh to the Spatial Network Method in Three-Dimensional Space 1

Katsuhiko Horinouchi and Toshiyuki Shiozawa. Characteristics of an Open-Boundary Čerenkov Laser with Applied Magnetostatic Field of Finite Strength 14

Naoki Ohtani, Nobuo Nagai, Masakiyo Suzuki, and Nobuhiro Miki. A Study of a Resonant Condition of Symmetric Triple-Barrier Structures by Using Circuit Theory 27

Yasuhiro Sugimoto and Kazunori Tsugaru. A 40-Msps 10-bit Video BiCMOS Analog-to-Digital Converter 36

Taiju Takahashi and Susumu Saito. Improvement of Multiplexability of Double-Layered Homogeneously Oriented Nematic LCD by Simultaneous Driving Method 49

Shuhei Nakamura, Atsushi Ito, Goro Sawa, Keiichi Kitagawa, Kazunari Tsubota, and Masayuki Ikeda. Evaluation of Cohesive Property of Carbon Black in Epoxy Resin Composite from the Equivalent Circuit in High-Frequency Region 59

Shin-ichi Komura, Jun-ichi Hirakata, and Yoshiharu Nagae. Optimization of Black and White Representation in Phase Plate Mode STN-LCDs 70

Satoshi Furusawa, Michitada Morisue, and Jyoji Asahina. Pulse Response of High T_c Superconductive Transmission Line 81

Kohji Toda and Shinzo Yoshida. An Optoelectronic Device Using Au-Diffused Pb_2CrO_5 Thin Films 90

Osamu Fujiwara, Masaru Okazaki, and Takashi Azakami. Electrification Properties of Human Body for Walking-Motion 99